



GUARDING WHAT MATTERS

FOLDING GATES

WALLACE PERIMETER SECURITY FOLDING GATES

Folding gates are designed to save space and time. The quick open/close cycle helps to accurately control access at the busiest traffic environments. Folding gates do not require as much room as other gates saving valuable space for other uses. The compact installation allows for effective security installations in the most confined spaces.

Folding gates are available in a variety of models to suit many applications and budgets. The gates have nearly limitless design options to match any project exterior.

Factory assembly and testing ensures a smooth and reliable installation.

PDXT SERIES SPEEDGATE

The PDXT SpeedGate is designed with security and speed in mind. Installed in North America's most secure facilities, the top track gate has an imposing presence.

The top track on the gate allows for integration of additional security devices such as razor wire, anti-climb hardware, and traffic lights.



FOLDSMART SPEEDGATE

The FoldSmart is designed for everyday use in a wide variety of applications. Built on the proven mechanical elements of the PDXT, the FoldSmart achieves a perfect balance of reliability and cost effectiveness. Built-in battery backup and 24 programmable features ensure a user friendly solution.



PDXT SERIES SPEEDGATE

The most robust and adaptable SpeedGate available. From elegant to bullet proof, the infill can be customized to serve the application.

If you have demanding requirements for speed, security, and aesthetics, then the PDXT SpeedGate is the perfect choice.

CGTT SERIES SPEEDGATE CORRIDOR SPEEDGATE

The Corridor SpeedGate provides safe, rapid entry and exit for pedestrians and small equipment. The innovative application of this product does not require the space of a sliding gate allowing full use of the corridor width. The modular construction of the gate allows for easy integration into existing facilities.



WALLACE PERIMETER SECURITY FOLDING GATES

	Features	Max Height	Max Width	Opening Speed	Finish	Power Requirements	Hydraulic Option	Battery Back-up	Applications
PDXT Series SpeedGate	<ul style="list-style-type: none"> • Unlimited head room • Drive motor secured inside column • Minimal footprint • Variable frequency drive 	10'	23'	7 Seconds	Hot dip galvanized • Powder coat options	<ul style="list-style-type: none"> • Voltage 208-240 V • Frequency 60 HZ • Current 20 AMP dedicated circuits • Single phase 	Yes	Add on	<ul style="list-style-type: none"> • Airports • Seaports • Chemical and petroleum facilities • Water treatment facilities • Public transportation
PDTT Series SpeedGate	<ul style="list-style-type: none"> • Drive motor secured inside column • Top track for add on security • Minimal footprint • Variable frequency drive 	16'	24'	7 Seconds	Hot dip galvanized • Powder coat options	<ul style="list-style-type: none"> • Voltage 208-240 V • Frequency 60 HZ • Current 20 AMP dedicated circuits • Single phase 	Yes	Add on	<ul style="list-style-type: none"> • Corrections • Police • Courthouses
CGTT Series Corridor SpeedGate	<ul style="list-style-type: none"> • Drive motor secured inside column • Minimal footprint • Variable frequency drive 	8'	8'	4 Seconds	Hot dip galvanized • Powder coat options	<ul style="list-style-type: none"> • Voltage 208-240 V • Frequency 60 HZ • Current 20 AMP dedicated circuits • Single phase 	No	Add on	<ul style="list-style-type: none"> • Pedestrian access in Corrections
FoldSmart SpeedGate	<ul style="list-style-type: none"> • Unlimited head room • Energy efficient • Cost effective • Minimal footprint • Variable frequency drive 	10'	30'	8 Seconds	Hot dip galvanized • Powder coat options	<ul style="list-style-type: none"> • Voltage 115 -230 V • Frequency 50/60 HZ • Current 15 AMP dedicated circuits • Single phase 	No	Standard	<ul style="list-style-type: none"> • Parkades • Storage facilities • Commercial/ industrial applications



WALLACE
PERIMETER SECURITY

115 Lawson Crescent
Winnipeg, Manitoba
Canada R3P 1A6
Phone: 866.300.1110
Fax: 204.284.1868

wallaceperimetersecurity.com

LEARN MORE



* Square foot area of folding/sliding gate to be confirmed by Sales Engineer.

Listed to UL 325 (class 1,2,3 &4)